



Infinite

Possibilities

Panoramic

Spacious



SINGLE TRACK

PANORAMIC

The Efinity Sliding Door allows for larger panel size capabilities – up to 3200mm (H) and 2700mm (W), within the design limitations of the System, allowing for the largest of uninterrupted views.

The EFINITY Sliding Door System is Fully Weathered utilising the EZI Seal technology which keeps the elements out and allows for the more energy efficient use of indoor cooling and heating.

Configurations can be either Top Hung or Bottom Rolling, incorporating an infinite number of panels within an opening.

A multitude of roller and hardware options exist which allows for the smooth EZI – SLIDE operation of every panel, even for the largest and heaviest of door panels up to a maximum weight of 300kg.

The EZI – SLIDE technology allows the very young, to the not so young, to effortlessly slide and operate the door panels.

THE EFINITY Sliding Door can be configured within the buildings facade or it can be installed to slide internally or externally to the building's walls, or alternatively, it can even be installed to slide within the cavity of the wall - the choice is yours!

ROBUST



DOUBLE TRACK

SPACIOUS

All configurations can accommodate an infinite amount of panels, to slide from either side of the opening to meet at any point, or alternatively, all panels can slide from one side of the opening to the other. Single or Multiple track options are available for either large single panel, or multi-panel stackable configurations.

The option of a 90 degree postless corner configuration exists as well, which truly connects the outside with the inside and will open up the corner of any building with uninterrupted views and accessibility.

The Efinity Sliding Door allows for any combination of fixed and sliding panels within a single opening to suit the particular needs of the site. Infinite modular configurations are possible for sidelights, highlights & lowlights when the doors are coupled with any of the other EZI Aluminium Window System ranges.

FLEXIBLE





TRIPLE AND MULTIPLE TRACK

Different aesthetics & functionality can be created when utilising the different Rail and Stile options available.

Seamless floors that smoothly transition from inside to outside, can be achieved, utilising the uninterrupted low profile Sills available, or alternately, higher weather resistant and Disabled Access Sills, are an option – we have it covered with a full range of sill heights ranging from 0mm – 50mm & beyond, if higher weather resistance is required.

The Efinity Sliding Door can be Single Glazed (5mm – 12.38mm) or Double Glazed (15mm – 30mm IGU's) and can accept a range of insect and security screening choices to keep unwanted visitors at bay.

When extra privacy is required then the Efinity Sliding Door can also be a privacy screen by incorporating our fixed blade louvre blade in either a bottom roll or top hung configuration, which maximises your privacy, whilst still allowing for the ventilation of the enclosed space.



JKA Commercial Glazing
Ph: 3881 3442
Version 1 August 2016

